


**Test results(4)**  
**Ms. DIPTI RONGHANGPI**  
**Patient name:**

**BLOT-LINE ANA**

|                                                                                                       |                                           |
|-------------------------------------------------------------------------------------------------------|-------------------------------------------|
| <b>Lot:</b> B3881184<br><b>Performed by:</b> VIJAYA<br><b>Evaluation time:</b> 10/24/2025 11:55:27 AM | <b>Borderline area from 8.00 to 10.00</b> |
|-------------------------------------------------------------------------------------------------------|-------------------------------------------|

**Scan image(4) - Ms. DIPTI RONGHANGPI**



**Results(4) - Ms. DIPTI RONGHANGPI**

| Band order | Band name   | Position (mm) | Intensity (%) | Evaluation | Antibodies found against |
|------------|-------------|---------------|---------------|------------|--------------------------|
| 1          | IgG Control | -4.49         | √             | √          |                          |
| 2          | Jo-1        | 2.29          | 0.00          | Negative   |                          |
| 3          | PL-7        | 4.23          | 0.00          | Negative   |                          |
| 4          | PL-12       | 6.27          | 0.58          | Negative   |                          |
| 5          | PmScl       | 10.08         | 1.15          | Negative   |                          |
| 6          | CENP-A      | 11.43         | 3.39          | Negative   |                          |
| 7          | CENP-B      | 13.29         | 0.00          | Negative   |                          |
| 8          | Scl-70      | 15.24         | 0.00          | Negative   |                          |
| 9          | Ro52        | 18.20         | 0.00          | Negative   |                          |
| 10         | Ro60        | 20.32         | 0.00          | Negative   |                          |
| 11         | La          | 22.27         | 0.00          | Negative   |                          |
| 12         | RNP-A       | 23.88         | 2.31          | Negative   |                          |
| 13         | RNP-C       | 27.26         | 0.00          | Negative   |                          |
| 14         | RNP-68      | 29.29         | 0.00          | Negative   |                          |
| 15         | SmB         | 31.24         | 0.58          | Negative   |                          |
| 16         | SmD         | 34.12         | 1.17          | Negative   |                          |
| 17         | P0          | 36.32         | 0.00          | Negative   |                          |
| 18         | PCNA        | 38.27         | 0.00          | Negative   |                          |
| 19         | dsDNA       | 40.64         | 1.17          | Negative   |                          |
| 20         | Histone     | 42.25         | 0.59          | Negative   |                          |
| 21         | Nucleosom   | 45.55         | 1.17          | Negative   |                          |
| 22         | DFS70       | 48.18         | 0.00          | Negative   |                          |
| 23         | M2          | 51.31         | 0.00          | Negative   |                          |

|            |                 |
|------------|-----------------|
| <b>ANA</b> | <b>Negative</b> |
|------------|-----------------|

The evaluation has been accomplished without calibration of the input image