



TEST REQUISITION FORM (TRF)



Patient Details (PLEASE FILL IN CAPITAL LETTERS ONLY):

Name : Nandkumar Patil

Age : 40 Yrs : _____ Months _____ Days

Sex : Male ☒ Female ☐ Date of Birth : DD MM YYYY

Ph : _____

Client Details :

SPP Code S0-044

Customer Name _____

Customer Contact No _____

Ref Doctor Name Dr. Shweta Salunke

Ref Doctor Contact No _____

Specimen Details:

Sample Collection date : _____	Specimen Temperature : _____	Sent	Frozen (<-20°C) <input type="checkbox"/>	Refrigerator (2-8°C) <input type="checkbox"/>	Ambient (18-22°C) <input type="checkbox"/>
Sample Collection Time : _____ AM / PM		Received	Frozen (<-20°C) <input type="checkbox"/>	Refrigerator (2-8°C) <input type="checkbox"/>	Ambient (18-22°C) <input type="checkbox"/>
Test Name / Test Code		Sample Type		SPL Barcode No	
<u>Extra Large Biopsy.</u> <u>[Commando Specimen]</u>					
				B3593526	
				B3593526	

Clinical History:

No. of Samples Received:

Received by:

Note: Attach duly filled respective forms viz. Maternal Screening form (for Dual, Triple & Quad markers), HIV consent form, Karyotyping History form, IHC form, HLA Typing form along with TRF.

Progress Note & Treatment Sheet

Ca (M) RM

Date & Time

Progress Note & Treatment

15/11/15

Mr. Nandkumar Patil

(Lgum)

SO-044
B3593526

Hx (Lgum) Ca (M) RM

↓

Patient underwent

(M) Composite resection

WUE of (J) + segmental

Mandibular

+ upper alveolary

+ Mx (M)

specimen for

(Mx)

Dr. Shivaji

Pushpan Imaging Centre

• 1.5 Tesla MRI • 96 Slice CT Scan (Technically), Digital X-Ray • Ultrasonography • Colour Doppler, Digital O

Patient Name	:	MR. PATIL NANDKUMAR YASHWANTRAO	Age/Sex	:	49 Yrs./M
Ref. By	:	Dr.SALUNKHE SHIVAJI MBBS DNB [GEN SUR] DrNB SUR.ONCO	Date	:	14-Oct-2025

CT SCAN NECK WITH CONTRAST

TECHNIQUE

Axial sections of the neck were obtained before and after administration of intravenous contrast on a CT scanner.

FINDINGS

- There is 1.2x1.2x1.5cm (APxTCxCC) sized fairly defined -heterogenously enhancing ulceroproliferative lesion noted involving the right gingivobuccal sulcus from 1st central incisor till canine level. Laterally it is extending into buccal fat pad, however overlying skin appears normal. The lesion extends superiorly along the right upper gingival mucosa.
- Both lobes of **thyroid** are normal in architecture, attenuation and enhancement. The isthmus is normal.
- The **nasopharynx**, **oropharynx** and **hypopharynx** appears normal.
- No pharyngeal wall thickening or intraluminal lesion noted. No evidence of diffuse or focal narrowing seen.
- Visualized part of **hard palate**, **soft palate** and **uvula** appears normal.
- **Parapharyngeal**, **carotid**, **pterygoid** and **buccal spaces** show normal appearances.
- The **pre-glottic**, **glottic** and **subglottic spaces** of larynx appear normal.
- **Epiglottis**, **Valleculae**, **AE folds**, **pyriform sinuses** appear normal.
- True and false **vocal cords** are normal in attenuation.
- **Hyoid bone** and **laryngeal cartilages** i.e. thyroid, cricoid and arytenoid appear normal.
- The **sternocleidomastoid** and **digastric muscles** on either side are normal.
- The **longus colli** on either side are normal.
- Both **parotids** and **submandibular glands** are normal.
- Cervical **oesophagus** and **trachea** appear normal.
- Bilateral styloid process are within normal limit.
- The visualized vertebrae shows degenerative changes.
- Right maxillary sinusitis is seen

Dr. Vivekanand N. Jani

M.D. (Radiodiagnosis)
Radiologist & Sonologist

Pushpan Imaging Centre

• 1.5 Tesla MRI • 96 Slice CT Scan (Technically), Digital X-Ray • Ultrasonography • Colour Doppler, Digital O


Patient Name	:	MR. PATIL NANDKUMAR YASHWANTRAO	Age/Sex	:	49 Yrs./M
Ref. By	:	Dr. SALUNKHE SHIVAJI MBBS DNB [GEN SUR] DrNB SUR.ONCO	Date	:	14-Oct-2025

IMPRESSION

- fairly defined -heterogenously enhancing ulceroproliferative lesion noted involving the right gingivobuccal sulcus from 1st central incisor till canine level with extensions and morphology as described s/o malignant neoplastic etiology- Ca buccal mucosa. Suggested histopathological correlation.

RECOMMENDATION

Suggested clinical correlation.



Ashok

Dr. ASHOK SHARMA .

MD RADIOLOGY

Reg.No.2017040928

Disclaimer: Investigations have their limitations. Solitary pathological/Radiological and other investigations never confirm the final diagnosis. They only help in diagnosing the disease in correlation to clinical symptoms and other related tests. Please interpret accordingly.

Vivekanand

Dr. Vivekanand N. Jani

M.D. (Radiodiagnosis)
Radiologist & Sonologist



SagePath
Excellence In Health Care

Sagepath Labs Pvt. Ltd.

LABORATORY TEST REPORT

Name	: NANDAKUMAR PATIL	Reg. No	: 0742510080122
Sample ID	: B3593505	SPP Code	: SPL-SO-044
Age/Gender	: 49 Years/Male	Collected On	: 08-Oct-2025 12:00 PM
Referred by	: Dr. SHIVAJI SALUNKE	Received On	: 09-Oct-2025 11:54 PM
Referring Customer	: BARSHI CANCER DIAGNOSTIC CENTER	Reported On	: 13-Oct-2025 07:48 PM
Primary Sample	:	Report Status	: Final Report
Sample Tested In	: Tissue		
Client Address	:		



HISTOPATHOLOGY

BIOPSY-Small Specimen (< 2cm)

Histopathological
Number : HP 9324/2025

Site of Biopsy : Non-healing ulcer

Gross : Received multiple grey white to grey brown soft tissue bits altogether measuring 1 x 0.3 x 0.2 cm. A/E in one block.

Examination

Microscopic
Examination : Sections studied are lined by hyperplastic keratinized stratified squamous epithelium with marked acanthosis, loss of polarity and features of moderate to severe dysplasia with nucleomegaly, pleomorphic, hyperchromatic nuclei with prominent nucleoli. The epithelium shows endophytic growth with invasion into underlying stroma with nests, lobules and cords of tumor cells, dyskeratosis, keratin pearl formation, non-specific inflammatory infiltrates and focal areas of coagulative necrosis.

Impression : Histopathological features are suggestive of Squamous cell carcinoma, moderately differentiated.

Advised correlation with clinical and imaging findings, further evaluation with ancillary studies (IHC) for confirmation, staging and further management.

Note : All biopsy specimen will be stored for 15 (fifteen) days, blocks and slides for 10 (ten) years only from the time of receipt at the laboratory. No request will be entertained after the specified period.

*** End Of Report ***



Page 1 of 1

Dr. Potturu Bharat
DNB, PATHOLOGY

TESTS CONDUCTED @ CENTRAL LAB, HYDERABAD

Note : This report is subject to the terms and conditions overleaf. Partial Reproduction of this report is not Permitted.