


**Test results(2)**  
**Mr. RAMCHANDRA THATTE**  
**Patient name:**

**BLOT-LINE ANA**

|                                                                                                       |                                           |
|-------------------------------------------------------------------------------------------------------|-------------------------------------------|
| <b>Lot:</b> B3865342<br><b>Performed by:</b> VIJAYA<br><b>Evaluation time:</b> 10/27/2025 10:43:18 AM | <b>Borderline area from 8.00 to 10.00</b> |
|-------------------------------------------------------------------------------------------------------|-------------------------------------------|

**Scan image(2) - Mr. RAMCHANDRA THATTE**



**Results(2) - Mr. RAMCHANDRA THATTE**

| Band order | Band name       | Position (mm) | Intensity (%) | Evaluation | Antibodies found against |
|------------|-----------------|---------------|---------------|------------|--------------------------|
| 1          | IgG Control     | -4.49         | √             | √          |                          |
| 2          | Jo-1            | 2.37          | 0.00          | Negative   |                          |
| 3          | PL-7            | 4.40          | 0.00          | Negative   |                          |
| 4          | PL-12           | 5.84          | 1.16          | Negative   |                          |
| 5          | PmScl           | 8.72          | 1.16          | Negative   |                          |
| 6          | CENP-A          | 11.35         | 0.00          | Negative   |                          |
| 7          | CENP-B          | 13.89         | 1.16          | Negative   |                          |
| 8          | Scl-70          | 15.32         | 0.00          | Negative   |                          |
| 9          | Ro52            | 18.29         | 0.00          | Negative   |                          |
| 10         | Ro60            | 20.40         | 0.00          | Negative   |                          |
| 11         | La              | 21.76         | 1.17          | Negative   |                          |
| 12         | RNP-A           | 24.38         | 0.00          | Negative   |                          |
| 13         | RNP-C           | 27.35         | 0.00          | Negative   |                          |
| 14         | RNP-68          | 30.06         | 2.90          | Negative   |                          |
| 15         | SmB             | 32.17         | 2.27          | Negative   |                          |
| 16         | SmD             | 32.77         | 6.20          | Negative   |                          |
| 17         | P0              | 36.41         | 7.28          | Negative   |                          |
| 18         | PCNA            | 38.18         | 2.79          | Negative   |                          |
| 19         | dsDNA           | 40.30         | 2.79          | Negative   |                          |
| 20         | Histone         | 42.25         | 0.00          | Negative   |                          |
| 21         | Nucleosom       | 45.55         | 3.94          | Negative   |                          |
| 22         | DFS70           | 49.19         | 1.74          | Negative   |                          |
| 23         | M2              | 51.39         | 0.00          | Negative   |                          |
| <b>ANA</b> | <b>Negative</b> |               |               |            |                          |

The evaluation has been accomplished without calibration of the input image