


**Test results(7)****Mr. KAFEEL****Patient name:****BLOT-LINE ANA****Lot:** A0794525**Performed by:** VIJAYA**Evaluation time:** 11/19/2025 11:31:57 AM**Borderline area from 8.00 to 10.00****Scan image(7) - Mr. KAFEEL****Results(7) - Mr. KAFEEL**

| Band order | Band name       | Position (mm) | Intensity (%) | Evaluation | Antibodies found against |
|------------|-----------------|---------------|---------------|------------|--------------------------|
| 1          | IgG Control     | -3.56         | √             | √          |                          |
| 2          | Jo-1            | 3.22          | 0.00          | Negative   |                          |
| 3          | PL-7            | 5.16          | 0.00          | Negative   |                          |
| 4          | PL-12           | 7.20          | 0.00          | Negative   |                          |
| 5          | PmScl           | 11.09         | 1.09          | Negative   |                          |
| 6          | CENP-A          | 12.19         | 0.00          | Negative   |                          |
| 7          | CENP-B          | 14.22         | 0.55          | Negative   |                          |
| 8          | Scl-70          | 17.02         | 1.09          | Negative   |                          |
| 9          | Ro52            | 19.13         | 0.00          | Negative   |                          |
| 10         | Ro60            | 21.25         | 0.00          | Negative   |                          |
| 11         | La              | 23.20         | 0.00          | Negative   |                          |
| 12         | RNP-A           | 25.57         | 1.11          | Negative   |                          |
| 13         | RNP-C           | 28.19         | 0.56          | Negative   |                          |
| 14         | RNP-68          | 30.23         | 0.00          | Negative   |                          |
| 15         | SmB             | 31.33         | 1.12          | Negative   |                          |
| 16         | SmD             | 34.12         | 0.57          | Negative   |                          |
| 17         | P0              | 37.17         | 0.57          | Negative   |                          |
| 18         | PCNA            | 39.12         | 0.00          | Negative   |                          |
| 19         | dsDNA           | 41.15         | 0.00          | Negative   |                          |
| 20         | Histone         | 43.10         | 0.00          | Negative   |                          |
| 21         | Nucleosom       | 46.57         | 1.15          | Negative   |                          |
| 22         | DFS70           | 48.77         | 1.15          | Negative   |                          |
| 23         | M2              | 52.24         | 0.00          | Negative   |                          |
| <b>ANA</b> | <b>Negative</b> |               |               |            |                          |

The evaluation has been accomplished without calibration of the input image