


**Test results(17)**  
**Mr. SHIV SHANKAR SINGH**  
**Patient name:**

**BLOT-LINE ANA**

**Lot:** B4382594  
**Performed by:** RAVINDRA BABU  
**Evaluation time:** 12/21/2025 10:57:54 AM

**Borderline area from 8.00 to 10.00**

**Scan image(17) - Mr. SHIV SHANKAR SINGH**



**Results(17) - Mr. SHIV SHANKAR SINGH**

| Band order | Band name       | Position (mm) | Intensity (%) | Evaluation | Antibodies found against |
|------------|-----------------|---------------|---------------|------------|--------------------------|
| 1          | IgG Control     | -4.06         | √             | √          |                          |
| 2          | Jo-1            | 2.71          | 0.58          | Negative   |                          |
| 3          | PL-7            | 4.74          | 1.73          | Negative   |                          |
| 4          | PL-12           | 6.86          | 2.29          | Negative   |                          |
| 5          | PmScl           | 9.82          | 2.29          | Negative   |                          |
| 6          | CENP-A          | 12.36         | 1.15          | Negative   |                          |
| 7          | CENP-B          | 13.72         | 0.58          | Negative   |                          |
| 8          | Scl-70          | 15.75         | 1.73          | Negative   |                          |
| 9          | Ro52            | 19.47         | 1.15          | Negative   |                          |
| 10         | Ro60            | 20.74         | 0.00          | Negative   |                          |
| 11         | La              | 21.84         | 1.15          | Negative   |                          |
| 12         | RNP-A           | 24.72         | 0.00          | Negative   |                          |
| 13         | RNP-C           | 28.45         | 1.16          | Negative   |                          |
| 14         | RNP-68          | 30.23         | 2.31          | Negative   |                          |
| 15         | SmB             | 31.67         | 0.00          | Negative   |                          |
| 16         | SmD             | 34.29         | 1.16          | Negative   |                          |
| 17         | P0              | 35.90         | 1.17          | Negative   |                          |
| 18         | PCNA            | 38.69         | 0.00          | Negative   |                          |
| 19         | dsDNA           | 41.49         | 1.75          | Negative   |                          |
| 20         | Histone         | 43.43         | 2.31          | Negative   |                          |
| 21         | Nucleosom       | 46.48         | 2.88          | Negative   |                          |
| 22         | DFS70           | 49.28         | 1.17          | Negative   |                          |
| 23         | M2              | 51.73         | 0.00          | Negative   |                          |
| <b>ANA</b> | <b>Negative</b> |               |               |            |                          |

The evaluation has been accomplished without calibration of the input image