

Test results(1)

Mr. V NARESH

Patient name:

BLOT-LINE ANA


Lot: b4287958

Performed by: vennela

Evaluation time: 1/1/2026 12:48:01 PM

Borderline area from 8.00 to 10.00

Scan image(1) - Mr. V NARESH



Results(1) - Mr. V NARESH

Band order	Band name	Position (mm)	Intensity (%)	Evaluation	Antibodies found against
1	IgG Control	-4.49	√	√	
2	Jo-1	2.20	0.00	Negative	
3	PL-7	4.15	0.00	Negative	
4	PL-12	6.10	0.00	Negative	
5	PmScl	9.40	1.74	Negative	
6	CENP-A	11.09	0.00	Negative	
7	CENP-B	14.05	1.16	Negative	
8	Scl-70	15.16	0.00	Negative	
9	Ro52	18.12	0.00	Negative	
10	Ro60	20.24	0.00	Negative	
11	La	23.03	1.17	Negative	
12	RNP-A	24.21	0.00	Negative	
13	RNP-C	27.18	0.00	Negative	
14	RNP-68	29.21	0.59	Negative	
15	SmB	31.16	0.00	Negative	
16	SmD	34.04	1.18	Negative	
17	P0	36.24	0.00	Negative	
18	PCNA	38.18	0.00	Negative	
19	dsDNA	40.56	1.18	Negative	
20	Histone	42.16	0.00	Negative	
21	Nucleosom	45.64	1.77	Negative	
22	DFS70	48.18	0.00	Negative	
23	M2	51.22	0.00	Negative	
ANA	Negative				

The evaluation has been accomplished without calibration of the input image

Immunoblot Software, version1.9.0

TestLine Clinical Diagnostics s. r. o.

www.testlinecd.com

Scan has not been saved