


**Test results(2)**  
**Mrs. ASMA SHEIKH SHOUKAT**  
**Patient name:**

**BLOT-LINE ANA**

**Lot:** B3999167  
**Performed by:** vennela  
**Evaluation time:** 1/1/2026 12:48:22 PM

**Borderline area from 8.00 to 10.00**

**Scan image(2) - Mrs. ASMA SHEIKH SHOUKAT**



**Results(2) - Mrs. ASMA SHEIKH SHOUKAT**

| Band order | Band name       | Position (mm) | Intensity (%) | Evaluation | Antibodies found against |
|------------|-----------------|---------------|---------------|------------|--------------------------|
| 1          | IgG Control     | -3.39         | √             | √          |                          |
| 2          | Jo-1            | 3.30          | 0.00          | Negative   |                          |
| 3          | PL-7            | 5.84          | 1.20          | Negative   |                          |
| 4          | PL-12           | 7.20          | 0.00          | Negative   |                          |
| 5          | PmScl           | 10.33         | 0.00          | Negative   |                          |
| 6          | CENP-A          | 12.28         | 0.00          | Negative   |                          |
| 7          | CENP-B          | 13.46         | 1.21          | Negative   |                          |
| 8          | Scl-70          | 16.26         | 0.61          | Negative   |                          |
| 9          | Ro52            | 20.07         | 1.20          | Negative   |                          |
| 10         | Ro60            | 21.34         | 0.00          | Negative   |                          |
| 11         | La              | 23.28         | 0.00          | Negative   |                          |
| 12         | RNP-A           | 25.32         | 0.00          | Negative   |                          |
| 13         | RNP-C           | 28.28         | 0.00          | Negative   |                          |
| 14         | RNP-68          | 30.31         | 0.00          | Negative   |                          |
| 15         | SmB             | 32.17         | 0.00          | Negative   |                          |
| 16         | SmD             | 34.29         | 0.59          | Negative   |                          |
| 17         | P0              | 37.51         | 1.18          | Negative   |                          |
| 18         | PCNA            | 39.29         | 0.00          | Negative   |                          |
| 19         | dsDNA           | 41.83         | 6.20          | Negative   |                          |
| 20         | Histone         | 43.26         | 0.58          | Negative   |                          |
| 21         | Nucleosom       | 46.91         | 1.15          | Negative   |                          |
| 22         | DFS70           | 49.28         | 0.58          | Negative   |                          |
| 23         | M2              | 52.32         | 0.00          | Negative   |                          |
| <b>ANA</b> | <b>Negative</b> |               |               |            |                          |

The evaluation has been accomplished without calibration of the input image