


**Test results(3)****Mr. RAFIQ****Patient name:****BLOT-LINE ANA****Lot:** B4285515**Performed by:** VIJAYA**Evaluation time:** 1/7/2026 10:29:48 AM**Borderline area from 8.00 to 10.00****Scan image(3) - Mr. RAFIQ****Results(3) - Mr. RAFIQ**

| Band order | Band name       | Position (mm) | Intensity (%) | Evaluation | Antibodies found against |
|------------|-----------------|---------------|---------------|------------|--------------------------|
| 1          | IgG Control     | -4.49         | √             | √          |                          |
| 2          | Jo-1            | 2.20          | 0.00          | Negative   |                          |
| 3          | PL-7            | 4.15          | 0.00          | Negative   |                          |
| 4          | PL-12           | 6.10          | 0.00          | Negative   |                          |
| 5          | PmScl           | 9.14          | 0.00          | Negative   |                          |
| 6          | CENP-A          | 11.51         | 3.47          | Negative   |                          |
| 7          | CENP-B          | 13.21         | 0.59          | Negative   |                          |
| 8          | Scl-70          | 15.16         | 0.00          | Negative   |                          |
| 9          | Ro52            | 18.29         | 1.18          | Negative   |                          |
| 10         | Ro60            | 20.24         | 0.00          | Negative   |                          |
| 11         | La              | 22.18         | 0.60          | Negative   |                          |
| 12         | RNP-A           | 23.79         | 2.35          | Negative   |                          |
| 13         | RNP-C           | 27.18         | 0.60          | Negative   |                          |
| 14         | RNP-68          | 29.55         | 1.20          | Negative   |                          |
| 15         | SmB             | 31.16         | 0.00          | Negative   |                          |
| 16         | SmD             | 33.19         | 0.60          | Negative   |                          |
| 17         | P0              | 36.24         | 0.00          | Negative   |                          |
| 18         | PCNA            | 38.18         | 0.00          | Negative   |                          |
| 19         | dsDNA           | 40.47         | 1.20          | Negative   |                          |
| 20         | Histone         | 42.16         | 0.00          | Negative   |                          |
| 21         | Nucleosom       | 45.64         | 1.20          | Negative   |                          |
| 22         | DFS70           | 48.18         | 0.60          | Negative   |                          |
| 23         | M2              | 51.22         | 0.00          | Negative   |                          |
| <b>ANA</b> | <b>Negative</b> |               |               |            |                          |

The evaluation has been accomplished without calibration of the input image